



CERTIFICATE OF REGISTRATION

This is to certify that

Sentry Doors Ltd

Brooklands Road
Carcroft
DN6 7BA
Doncaster
UNITED KINGDOM

Meets the requirements of the BM TRADA **Q-Mark Fire Door Manufacture** scheme to **STD006**

A handwritten signature in black ink, appearing to read 'SR', with a long, sweeping horizontal stroke extending to the right.

Steve Roberts
Product Certification Operations Manager
For and on behalf of BM TRADA

Certificate Number

879

Date of Initial Certification

31/07/2015

Date of Last Issue

04/04/2024

Date of Expiry

08/08/2025

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com

Registration Schedule

Branch
Sentry Doors Ltd

Address
Brooklands Road
Carcroft
Doncaster
DN6 7BA

Scope

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	Rev	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	Chilt/A13067	F	Sentry Doors Ltd	30 Minutes Fire Resistant Doorsets (Glazed and unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-	-	-	N/A
Fire	WF 403069	B	Sentry Doors Ltd	60 Minutes Fire Resistant Doorsets (Glazed and unglazed)	60min	BS 476 Pt22
Smoke	N/A	-	-	-	-	N/A
Fire	WF 504925	-	Sentry Doors Ltd	30 Minutes Stredor® and Stredor® Fire Resistant Doorsets (Glazed and unglazed)	30min	BS 476 Pt22
Smoke	N/A	-	-	-	-	N/A

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	Test Type
Fire	FEA/F98164	Pacific Rim Wood Ltd	Flamebreak 30	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A02141	Pacific Rim Wood Ltd	Flamebreak 60	60min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A01204	Halspan Ltd	Optima 30	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A01205	Halspan Ltd	Optima 60	60min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A13242	Halspan Ltd	Halspan XT30 and IT30 -	30min	EN 1634-1
Smoke	N/A	-	30 minute fire resisting doorsets (Glazed and Unglazed)	-	N/A
Fire	Chilt/A13227	Halspan Ltd	Halspan XT60, IT60, XT60 Head Rail and XT60R (formerly Pro Tech 60)	60min	EN 1634-1
Smoke	N/A	-	60 minute fire resisting doorsets (Glazed and Unglazed)	-	N/A
Fire	Chilt/A02066	Falcon Panel Products Ltd	Stredor® 35+ Doorsets (Stredor® 35 blank only)	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	Chilt/A02066	Falcon Panel Products Ltd	Stredor® 38+ Doorsets (Stredor® 38 blank only)	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	Chilt/A02066	Falcon Panel Products Ltd	Stredor® 44 Doorsets (Stredor® 44 blank only)	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	Chilt/A02067	Falcon Panel Products Ltd	Stredor® 54 Doorsets	60min	BS 476 Pt22
Smoke	N/A	-	(Glazed or unglazed)	-	N/A
Fire	BMT/CNA/F15159	Falcon Panel Products Ltd	Stredor® 30 Minute Fire Resisting Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	WF377027	Falcon Panel Products Ltd	Stredor® 60 Minute Fire Resisting Doorsets	60min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A09104	Falcon Panel Products Ltd	Stredor® 44 Panelled Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	Chilt/A10152	Falcon Panel Products Ltd	Stredor® 54 Panelled Doorsets	60min	BS 476 Pt22
Smoke	N/A	-	(Glazed and unglazed)	-	N/A
Fire	WF407090	Falcon Panel Products Ltd	Stredor® 44 30 minute Front Entrance Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	WF407090	Falcon Panel Products Ltd	Stredor® 54 30 minute Front Entrance Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	WF407090	Falcon Panel Products Ltd	Stredor® 44 30 minute Front Entrance Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	WF407090	Falcon Panel Products Ltd	Stredor® 54 30 minute Front Entrance Doorsets	30min	BS 476 Pt22
Smoke	N/A	-	(Glazed or Unglazed)	-	N/A
Fire	WF428364	Falcon Panel Products Ltd	Stredor® 44 E30 FED (EXAP)	30min	EN 1634-1
Smoke	N/A	-	Fire Resisting and Smoke Control Doorsets (Glazed or Unglazed)	-	N/A
Fire	WF428364	Falcon Panel Products Ltd	Stredor® 44 E130 FED (EXAP)	30min	EN 1634-1
Smoke	N/A	-	Fire Resisting and Smoke Control Doorsets (Glazed or Unglazed)	-	N/A
Fire	WF428387	Falcon Panel Products Ltd	Stredor® 44 E30 FED (EXAP)	30min	EN 1634-1
Smoke	N/A	-	30 Minute (integrity) Fire Resisting Doorsets (Glazed or Unglazed)	-	N/A
Fire	WF428388	Falcon Panel Products Ltd	Stredor® 44 E130 FED (EXAP)	30min	EN 1634-1
Smoke	N/A	-	30 Minute (integrity and insulation) Fire Resisting Doorsets (Glazed or Unglazed)	-	N/A
Fire	WF517660	Arnold Laver & Co Ltd	Optima 60 Glazed and unglazed Fire Resisting Doorsets Installed at the Wakefield addresses listed in Section 2.4 Page 5 of this Assessment	60min	BS 476 Pt22
Smoke	N/A	-	-	-	N/A
Fire	BMT/CNA/F15084 (Rev E)	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank	30min	EN 1634-1
Smoke	N/A	-	-	-	N/A
Fire	BMT/CNA/F15084 (Rev E)	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank	60min	EN 1634-1
Smoke	N/A	-	-	-	N/A

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.
No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Test Report	Owner of Test Report	Doorset Description	Rating	Test Type
WF 386073 (Doorset A)	Sentry Doors Ltd	60 Minutes Fire Resistant Doorset (Unglazed)	60min	BS 476 Pt22
WF 386073 (Doorset B)	Sentry Doors Ltd	60 Minutes Fire Resistant Doorset (Unglazed)	60min	BS 476 Pt22
Chilt/RF11065 AR1	Sentry Doors Ltd	60 Minutes Fire Resistant Doorset (Glazed)	60min	BS 476 Pt22
WF 387892 (Doorset A)	Sentry Doors Ltd	60 Minutes Fire Resistant Doorset (Glazed)	60min	BS 476 Pt22
WF 327444	Sentry Doors Ltd	30 Minutes Fire Resistant Doorset (Glazed)	30min	BS 476 Pt22
WF415699	Sentry Doors Ltd	30 Minutes Fire Resistant Doorsets (Glazed)	30min	BS 476 Pt22
WF415700	Sentry Doors Ltd	30 Minutes Fire Resistant Doorsets (Glazed)	30min	BS 476 Pt22
WF 420131	Sentry Doors Ltd	60 Minutes Fire Resistant Doorsets (Unglazed)	60min	BS 476 Pt22
WF433954	Sentry Doors Ltd	30 Minutes Flamebreak Fire Resistant Doorset With fanlight and timber part-glazed side screen	30min	BS 476 Pt22
WF433956	Sentry Doors Ltd	30 Minutes Flamebreak Fire Resistant Doorset With fanlight and timber part-glazed side screen	30min	BS 476 Pt22
WF 503044 AR1	Sentry Doors Ltd	30 Minutes Stredor® 44 Fire Resistant Doorset With timber part-glazed side screen	30min	EN 1634-1